

CLEAN BREAK TECHNOLOGIES, LLC.**MATERIAL SAFETY DATA SHEET**

| | | |
|------------------------------|--|--------------------------------|
| PRODUCT IDENTIFICATION | Rubber Mat Sealant | Health 1 |
| MANUFACTURER | Clean Break Technology, LLC Newberg, OR 97132 | Flammability 0 Reactivity 0 |
| PHONE | 503- 538-5401 | Protection B |
| CHEMICAL FAMILY | Chemical blend | |
| DOT SHIPPING NAME | Polymer in water solution | |
| DOT STATUS | Not regulated | |
| DATE | 5/30/01 Ver 1 | |
| In case of emergency contact | 503.804.5311 | |

OSHA REGULATED INGREDIENTS

| Ingredient | CAS# | % | OSHA PEL | ACGIH TL | OSHA STEL |
|---------------------------------|----------|---|----------|----------|-----------|
| Diethylene Glycol n-Butyl Ether | 112-34-5 | 5 | 35 | 35 | |

PRECAUTIONARY INFORMATION

Direct contact with eyes causes irritation, prolonged or repeated exposure to skin may cause irritation and drying. Prolonged inhalation may cause respiratory irritation.

FIRST AID PROCEDURES

EYES: Flush immediately with water for fifteen minutes, seek medical attention
 INGESTED: Do not induce vomiting, give fruit juice, seek medical attention
 SKIN: Wash with soap and water, wash contaminated clothing before reuse
 INHALED: Remove to fresh air.

Rubber Mat Sealant

EMERGENCY PROCEDURES

FIRE: Product is not combustible in liquid state

SPILL: Collect spill with inert absorbent. Prevent entering sewers, notify authorities.

PHYSICAL DATA

PHYSICAL STATE: Opaque liquid

BOILING POINT:>100F

DENSITY: 1.0 +/-

SOLUBILITY IN WATER: miscible

PERSONAL PROTECTION EQUIPMENT

EYES: Wear chemical safety goggles.

SKIN: Wear impermeable gloves and protective clothing.

RESPIRATORY: Respiratory protection is not normally required.

VENTILATION: Standard industrial ventilation recommended.

FIRE PROTECTION

FLASH POINT: None

EXTINGUISHING MEDIA: CO2, Foam, Dry Chemical

UNUSUAL HAZARDS: May generate phosgene, keep away from heat and open flame

REACTIVITY

STABILITY: Stable

INCOMPATIBILITY: Excessive heat, oxidizers

HAZARDOUS DECOMPOSITION: CO and CO2

HAZARDOUS POLYMERIZATION: Will not occur

Rubber Mat Sealant

CHRONIC EFFECTS

EYES: May cause irritation

SKIN: Repeated contact may irritate tissue

INHALATION: Inhalation of mists may cause irritate to respiratory tract

CHRONIC: None known

EXISTING HEALTH CONDITIONS AFFECTED BY OVEREXPOSURE: Preexisting liver disorders

SPILL AND DISPOSAL INFORMATION

SMALL SPILLS: Use absorbent material.

LARGE SPILLS Contain for recovery.

DISPOSAL: Dispose according to local and state law

STORAGE

Do not freeze

REGULATORY INFORMATION

TOSCA

The ingredients are listed on the TOSCA inventory

SARA TITLE III Sec 313

This product does contain toxic chemicals subject to the reporting requirements of Section 313 of Title III of SARA and 40 CFR part 372.

| Chemical Name | Concentration |
|---------------|---------------|
| Glycol Ethers | 5% |

CALIFORNIA PROP. 65

This product contains trace amounts of a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

Rubber Mat Sealant

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge effluent into lakes, ponds, streams, estuaries,

oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge into sewers without previously notifying local authority.

The manufacturer believes that the information provided is accurate and reliable as of the date of this material safety data sheet and is given in good faith. No warranty expressed or implied is made as to the accuracy, reliability or completeness of the information. Any use of this data and information must be determined by the user to be in accordance with applicable Federal, State and Local laws and regulations. Conditions of use are beyond the control of the manufacturer and users must determine whether this product is suitable for their particular purpose and assume all risk of use, handling and disposal of the product. This information relates only to product designated herein and does not relate to its use in combination with any other material or other process.